

**VSB - TECHNICAL UNIVERSITY OF OSTRAVA FACULTY OF
MINING AND GEOLOGY INSTITUTE OF ENVIRONMENTAL
ENGINEERING**



17th Conference on Environment and Mineral Processing



6. - 8. 6. 2013 FSf-TU OSTRAVA Czech Republic

CONTENTS

<i>Pasetto M., Baldo N.:</i> CEMENT BOUND MIXTURES WITH METALLURGICAL SLAGS FOR ROAD CONSTRUCTIONS: MIX DESIGN AND MECHANICAL CHARACTERIZATION	7
<i>Ledererová M.:</i> COMPARISON OF PROPERTIES OF RECYCLED AND WASTE AGGREGATES AND THEIR POTENTIAL USE IN CEMENT COMPOSITES -VOLTAGE	15
<i>Struhárová A.:</i> EFFECT CHEMICAL GROUTING METHOD ON THE PROTECTION OF AUTOCLAVED AERATED CONCRETE MASONRY AGAINST WATER AND MOISTURE	21
<i>Alizadeh M., Hosseinzadeh M.:</i> RESIDENCE TIME DISTRIBUTION MODEL OF DUAL PHASE FLUID FLOW IN THE MIXER SETTLER	25
<i>Kerestúr M., Švéda M.:</i> INVESTIGATING THE POSSIBILITY OF USING ZEOLITE WASTE IN THE BRICK BODY	31
<i>Kumar B., Srivastava B., Bhatnagar A.K.:</i> BINDER-LESS BRIQUETTING COAL TAILING TO INCREASE ITS ACCEPTANCE AS A FUEL	37
<i>Mukhin V., Sotnikova N., Uchanov P.:</i> PRODUCTION AND PROPERTIES OF ACTIVE CARBON ON BASE OF ANTHRACITE	43
<i>Pavlik V., Užáková M.:</i> USE OF ZEOLITE DUST IN LIME MORTARS	45
<i>Shimada H., Yoshida Y., Senda T., Maeda Y., Sasaoka T., Fujita S., Matsui K., Watanabe D.:</i> DEVELOPMENT OF BACKFILLING MATERIAL USING FLY ASH BY APPLICATION OF CHEMICAL INJECTION	51
<i>Stefanie M., Radu S.M., Matei A., Dunca E.:</i> TECHNOLOGIES FOR RESTORATION OF LAND AFFECTED BY MINING ACTIVITY. CASE STUDY	59
<i>Balintova M., Holub M.:</i> ADSORPTION KINETICS AND ISOTHERM STUDY OF Cu(II) ION SORPTION FROM ACIDIC SOLUTIONS BY PEAT	65
<i>Ivanova D., Kavulicova J., Kadukova J., Poncak P.:</i> CHARACTERIZATION OF THE FUNCTIONAL GROUPS OF THE POLYTRICHUM COMMUNE CELL WALL	71
<i>Jenčárová J., Luptáková A., Kupka D.:</i> THE POSSIBILITIES OF SULPHATE-REDUCING BACTERIA USE IN MINE DRAINAGE WATERS REMEDIATION	77
<i>Kavulicova J., Kadukova J., Ivanova D.:</i> EFFECTS OF COPPER STRESS ON PHYSIOLOGICAL PARAMETERS OF FLAX (LINUM USITA TISSIMUM)	83
<i>Marečka A.:</i> METHANE AND CARBON DIOXIDE SORPTION KINETICS IN POLISH COALS	89
<i>Mražíková A., Marcinčáková R., Kaduková J., Velgosová O.:</i> INFLUENCE OF USED BACTERIAL CULTURE TO COPPER BIOLEACHING FROM PRINTED CIRCUIT BOARDS	95
<i>Boguská Z., Fazekašová D., Angelovičová L.:</i> DIVERSITY OF VEGETATION ON CONTAMINATED SUBSTRATES	99
<i>Uludag-Demirer S., Duran M., Demirer G.N.:</i> NUTRIENT ENRICHMENT OF THE ANAEROBIC SLUDGE BY CO-PRECIPIATION AND PIN THE MESOPHILIC ANAEROBIC DIGESTER	103
<i>Kowalski Z., Makara A., Matýšek D., Marszałek M.:</i> PRELIMINARY STUDY ON PROCESSING PIG MANURE WITH THE FILTRATION METHOD AND THE POSSIBILITY OF APPLYING THE POST-FILTRATION SEDIMENT AS A POTENTIAL FERTILISING AGENT	109
<i>Rotea O., Mititica T., Radu S.M., Matei A.:</i> OPPORTUNITIES FOR HARNESSING JIU VALLEY'S COAL ENERGETIC POTENTIAL IN ACCORDANCE WITH ENVIRONMENTAL PROTECTION	115

17th Conference on Environment and Mineral Processing

<i>Bold O. V., Morar M., Matei A., Moraru R.:</i> RECYCLING POSSIBILITIES A CAR AT THE END OF THEIR LIFE TIME	127
<i>Kosińska L., Kowalski Z., Generowicz A., Makara A.:</i> LIFE CYCLE ASSESSMENT OF MUNICIPAL WASTE INCINERATION AND DISPOSAL PLANTS WITH EASEWASTE SOFTWARE	131
<i>KrišJ., GalikM., NemešP.:</i> ANTHROPOGENIC IMPACTS ON ENVIRONMENT AND QUALITY OF WATER SUPPLY	139
<i>Herbei R.C., Herbei M. V., Matei A., Toth L.:</i> SATELLITE IMAGE PROCESSING AND INTERPRETATION BY USING GIS TECHNOLOGY	145
<i>Ionescu C., Sbirna L.S., Codresi T., Sbirna S., Moldovan C.S., Matei A.:</i> ANOVA ANALYSIS ON THE ELEMENTAL CARBON (EC) AND ORGANIC CARBON (OC) IN AMBIENTAL PM ₁₀ AND PM _{2.5} OF AN URBAN AREA (DEVA CITY, HUNEDOARA COUNTY)	151
<i>Pasetto M., Baldo N.:</i> PERMANENT DEFORMATION RESISTANCE OF ASPHALT CONCRETES MADE WITH ELECTRIC ARC FURNACE STEEL SLAGS.....	157
<i>Matei A., Moraru R.I., Chirila D., Popa R.:</i> WORK INJURIES IN COLLIERIES WITHIN JIU VALLEY BASIN: OCCURRENCE PATTERNS AND PREVENTION STRATEGIES	165
<i>Solozhenkin P.M., Karlusova K.M.:</i> CLUSTER OF MINERALS Sb, Bi, As AND THEIR RESEARCH WITH OF COLLECTORS QUANTUM - MECHANICS METHOD.....	173
<i>Dunca E., Ciolea D., Matei A., Moldovan C.:</i> ENVIRONMENTAL RISK ASSESSMENT AND MONITORING IN PINOASA QUARRY.....	179
<i>Herbei R.C., Herbei M. V., Matei A., Bold O. V.:</i> ANALYSIS OF THE DEFORMATIONS INTO THE STEREOGRAPHIC PROJECTION 1970 USED IN ROMANIA	183
<i>Kyncl M., Langarová S.:</i> POSSIBLE MEASURES TO BE TAKEN IN WATER SUPPLIES DURING DROUGHT.....	191
<i>Oyegbile B., Narra S.:</i> THE ROLE OF EMERGING ENVIRONMENTAL CONTAMINANTS IN FUTURE IMPACT ASSESSMENTS OF WASTEWATER TREATMENT PLANTS IN EUROPE.....	197
<i>Matei A., Toth L., Herbei R.C., Maru D.:</i> ANALYSIS OF CHEMICAL ELEMENTS IN TRACE METALS IN SOIL	203
<i>Tomanec R., Stefanovic M., Cablik V.:</i> LIGNITIC FLYASH BYPRODUCTS FROM TPP KOSTOLAC-B, SERBIA AND ITS USAGE	207
<i>Pasetto M., Giacomello G.:</i> THE USE OF SYNTHETIC RESINS ON CONCRETE BRIDGE DECKS	215
<i>Motântău Sârbu D.G., Motântău Sârbu C., Standu G. T., Matei A.:</i> RESEARCHES REGARDING THE THERMODYNAMIC PERFORMANCE OF THE FIELD TUBE HEAT EXCHANGERS	223
<i>Michalíková F., Brezáni I., Sisol M., Drabová M., Mosej J.:</i> PROPERTIES OF FLUID ASHES AND THEIR UTILIZABILITY	231
<i>Petřilean D.C., Andronache D., Vasiiu T., MateiA.:</i> COMPARATIVE STUDY ON ENERGY GROUPS OF CONTINUOUS EMISSIONS FROM CETINTIA DEVA S./I.....	237
<i>Špaldon T., HančulákJ., Šestinová O., Findoráková L., Kurbel T.:</i> WAYS OF SULPHATE REMOVAL BY USING VARIOUS BARIUM COMPOUNDS.....	243
<i>Dura C., Chirilă D., Vigă D. V., Herbei R.C.:</i> STUDYING THE EFFECT OF ROCK PRESSURE ON CIRCULAR TIMBERING.....	249
<i>Bold O. V, Herbei RC, Barbuta (Avram) C.P., Morar M.:</i> METHODOLOGY TO EVALUATE THE BIOLOGICAL WASTEWATER TREATMENT STAGE PLANT TO BAIA DEARIEI	253

Yemchenko M.A., Pashinskiy V. V., Moroz O.K.: IMPLEMENTATION OF RESOURCE-CONSERVING TECHNOLOGIES IN THE NETWORK OF TECHNICAL REEQUIPMENT ON UKRAINIAN METALLURGICAL ENTERPRISES BY EXAMPLE OF JSC «DONETSKSTEEL»	257
<i>Lovás M., Znamenáčková I., Dolinská S., Matik M., Hredzák S., Sobek J., Hájek M.:</i> <i>MICROWAVE ENERGY IN THE PROCESSES OF BIOMASS TREATMENT</i>	263
<i>Opar a T.V., Belyaeva G.E., Moroz O.K.:</i> <i>ENVIRONMENTAL MANAGEMENT APPROACHES OF THE SPECIAL RAW MATERIAL AREAS</i>	267
<i>Wawrzak D.:</i> <i>MICROBIOLOGICAL REDUCTION OF SULFATES TO SULPHIDES USED IN DAIRY WASTEWATER TREATMENT</i>	271
<i>Smilek J., Sedláček P., Klucká M.:</i> <i>STUDY ON REACTIVITY OF HUMIC ACID BY INNOVATIVE DIFFUSION TECHNIQUES</i>	279
<i>Anakli D., Qetinkaya S., Karakçala M., Sagak M.:</i> <i>SYNTHESIS AND CHARACTERIZATION OF POLY(N-ETHYL ANILINE) / TALC COMPOSITE MATERIALS</i>	285
<i>Kročá L., Pistulka P.:</i> <i>UTILIZATION OF ZINC AND IRON WASTES IN THE LEAD RECYCLING PROCESS</i>	291
<i>Gufá A. J.:</i> <i>ASPECTS CONCERNING STRATEGIC PLANNING THROUGH BUDGET PROGRAMMES IN PUBLIC INSTITUTIONS OF ROMANIA</i>	297
<i>Marcinčáková R., Mražíková R., Velgosošová O., Kaduková J.:</i> <i>LITHIUM AND COBALT RECOVERY FROM PRIMARY AND SECONDARY SOURCES</i>	301
<i>DMR S., Prabhulingaiah G., Dassan Y., Pillai M.G., Upadhyayula S.:</i> <i>DISCARDED PHOSPHATIC SLIMES AS FERTILIZER IN ALKALINE SOILS</i>	305
<i>Gu(a A.J.:</i> <i>SUBJECTIVE METHODS OF FORECASTING</i>	311
<i>Heviánková S., Kyncl M., Langarová S.:</i> <i>INVESTIGATING THE CURRENT MANAGEMENT OF DIGESTATE IN THE CZECH REPUBLIC</i>	317
<i>Bartusek S., Pryszyca A., Obroučka K.:</i> <i>ENERGY AND MATERIAL RECOVERY PROCESS COMBINED REDUCTION AND PLASMA AT THE NEW FACILITY OF THE INSTITUTE OF ENVIRONMENTAL TECHNOLOGY</i>	325

IMPLEMENTATION OF RESOURCE-CONSERVING TECHNOLOGIES IN THE NETWORK OF TECHNICAL REEQUIPMENT ON UKRAINIAN METALLURGICAL ENTERPRISES BY EXAMPLE OF JSC «DONESKSTEEL»

YEMCHENKO M.A., PASHINSKIY V.V., MOROZ O.K.

Donetsk National Technical University, Physical and Metallurgy Faculty, 58 Artema st, 5883001 Donetsk, Ukraine emchenko4@mail.ru,
vypashynsky@gmail.com, okmoroz@rambler.ru

Abstract

Ecological situation that is present in Ukraine and how Ukrainian enterprises provide resource-conserving technologies by example of JSC «Donetsksteel». This article involves problems of environment pollution, problems of «rational energy-resources usage and how JSC «Donetsksteel» - metallurgical plant resolves it.

Key words: *metallurgy, environment, waste*

(received 23 April 2013, accepted 29 May 2013)

Introduction

The metallurgical enterprises of Ukraine produce almost 30 % domestic gross product and provide 40 % currency of the country earnings budget. At the same time they claim responsibility for the most environmental pressure in metallurgical regions (Donbass, Pridneprov'e, Krivbass), where mass of gaz-dust emission per habitant exceeds the middle rate in the country in 8-10 times. For example, in the Donetsk region, with its highest density in Ukraine of population (180 persons per sq.km), specific gaz-dust emission make up 330-350 kg/pers., and the middle on a country, accepted in estimations as conditional for non-commercial regions, does not exceed 35-38 kg/pers. per year. [1]

Among ten most developed metallurgical states Ukraine occupies the eighth place, suprising Brazil and India. Leading front-rank metallurgical European countries (Germany, France, Austria, Italy) are the prime examples of the progressive development of metallurgical complex and simultaneous solving of the ecological problems in its production. [3]

However, without similar ecological achievements Ukraine has difficulties in entering the international markets of ferrous metals. Importers do not want to acquire the metallurgical products of the enterprises, which do not have certificates in the systems of ecological management (requirements of ISO standards series 14000) and quality management (requirements of ISO standards series 9000). In Ukraine this experience is taken into account at the development of the strategy of modernization of metallurgical complex enterprises, but the rates of carrying of proper measures remain slow. [5]

Analysis

In the metallurgical regions of Ukraine a crisis (more precisely critical) ecological situation is created by four metallurgical productions in the aggregate: chemical-recovery, sintering, blast-furnace and steel-melting. It's appropriate especially to mention that at the Ukrainian enterprises of complete metallurgical cycle the iron making and supplying it productions of coke and agglomerate emit in the

atmosphere more than 50 % dust, 62 % sulphureous anhydride and sulphureted hydrogen, 90 % monoxide of carbon and 38 % toxic oxides of nitrogen; in aggregate it's more than 500 th/year only in Donbass.

The special danger is in the chemical-recovery production. More than 70% emission of benzapirena, basic part of ammonia emission, cyanogen hydrogen, phenol, benzoyl, soot and others. Considerable part of dust (emission almost 20 %), and also gas emission in a kind of CO and especially NOx is mainly related to the open-hearth production of steel, which in the world has totally been liquidated, and in Ukraine will also reduce and only by 2015-2017. The volume of melting of this steel can make 10-15 % against 44 % in 2007-2009. [2]

Results and discussion

At present complete passing to melting of steel only in oxygen converters and of the enterprises the group «Donetsksteel» are putting into effect ecological programs, directed at improvement of the ecological situation in the region:

JSC «MAKEEVKOKS» put into operation (1 June, 2012) a workshop of cleaning coke gas from the sulphureted hydrogen reduction of harmful emission

- gaz desulfurization to 0,5 gram/meter;
- reduction of the size of the sanitary-hygienic area of the enterprise to 500m.

JSC «YAKKHZ» has reconstructed the workshop on waste processing of flotation

- processing of waste production;
- decrease in the influence of sludge tank on the environment. Processing and usage of passing products and wastes of the coal mining
- utilization of hazardous wastes of mining industry;
- high degree filtration of smoke fumes;
- reduction of harmful emission;
- drawing into economic circulation and usage of mine waters;
- usage of the alternative sources of water in the region.

The metallurgical complex joint-stock company «Donetsksteel MP» is a complete metallurgical cycle enterprise. Basic workshops (blast-furnace, open-hearth, rolled metal) and auxiliary workshops, providing basic production, constitute the complex. The enterprise specializes in iron making steel, of high quality rolled metal.

The plant has developed and begun implementation the «Complex program of metallurgical complex reconstruction», the principal aims of which are considerable improvement of the ecological situation in the region and increase productive efficiency due to application of modern technical decisions, allowing to cut the consumption of energy resources.

Within the execution of realization of the «Complex program» the fundamental modernization of blast-furnace production has already been put into effect. As a result of the overall reconstruction blast furnaces the indexes of the blast-furnace melting correspond to the level of leading world producers of cast-iron.

On the basis of technical-economic analysis energy saving measures were chosen:

- replacement of open-hearth furnace by electric furnace;
- building of new oxygen block;
- reconstruction of expenditure of compression of air. [4]

Energy on melting of a 1 tone of steel became in open-hearth production amounted 5 857.7 MJ /t. The expenditure of energy on melting of a 1 tone according to data from «SIEMENS VAI» company in an electric furnace amounted to 2 296.3 MJ /t. Comparing the expenses of energy resources, reduced to the same indexes, it is possible to draw the conclusion, that the expenses of energy resources in electric furnace steelmaking are less than in a open-hearth furnace at the time in 2.6.

Before the beginning of the reconstruction the open-hearth furnace was located in the central part of the city and characterized by the large emission of harmful substances (dust, oxides) in the atmosphere. Present at the enterprise system the open-hearth furnaces gas purification were not equipped. In 2008 emission of the enterprise were 8.4 % from a metropolitan index on emission from stationary sources.



Figure 1. View on the plant before implementation of resource-conserving technologies

Electric furnace steelmaking, due to high-efficiency gas purification systems is ecologically safe. During the work of electric furnace workshop from gas purification buildings by sight emission are not observed, and indexes of emission on an order below what at the open-hearth method of production became.



Figure 2. View on the plant after implementation of resource-conserving technologies

Technology and equipment, supplied a firm SIEMENS VA1 Metals (Germany), to a full degree corresponded to all requirements produced to date to the modern metallurgical production and are most ecologically safe and energy saving.

Results and discussion

On the next figures we can see how emission of harmful matters on the types of production have changed after implementation of resource-conserving technologies.




Figure 3. Stake of emission of harmful matters on the types of production before implementation of resource-conserving technologies




Figure 4. - Stake of emission of harmful matters on the types of production after implementation of resource-conserving technologies

Liquidation of open-hearth furnace allowed to shorten emission from 5356 to 963 thousand per year and it takes to cut from 54% of stake of emission of all plant to 11%.

Substituting of open-hearth furnace on electrical furnace will allow:

- to shorten emission in an atmosphere in 3.5 time: decline of emission of dust from 1.6 to 0.35 kg/t and oxides from 3 to 0.3 kg/t;
- to decide the ecological problem of metallurgical production, located in central part of city of Donetsk.

Conclusion

Metallurgical plant are responsible to ecological situation in Ukrainian regions like Donbass. Pridneprov'e and Krivbass. The issue is straddled in high deterioration of capital assets, that don't satisfy demand of ecological and energy safety.

Resolving of this issue helps not only in improvement of ecological situation in the region, but make production of the metallurgical plant more competitive on the external market. Looking forward Ukrainians enterprises like JSC «Donetsksteel» are on the way to resolve this problem.

Acknowledgments

The paper was informational supported by JSC «Donetsksteel».

Referenses

- [1] Грищенко, С.Г. Підсумки роботи ГМК України у 2007 році та плани галузі на 2008 рік / *Металлургическая и горнорудная промышленность*. - 2008 - №1 / ^С.3-4.
- [2] Земля тривоги нашої. Стан довкілля у Донецькій області у 2006 - 2007 роках / Під науковою редакцією С.В. Трет'якова. - Донецьк: "Епіцентр ЛТД".-2007р - 120 с.
- [3] Буторина, И.В. Мировые тенденции развития металлургической промышленности / *Металлургия и горнорудная промышленность*. - 2001. — № 1.- С. 15-18.
- [4] Юсфин, Ю.С. Металлургия и окружающая среда / Сборник докладов международной конференции «Пути решения экологических проблем горно-металлургической отрасли стран СНГ». - Мариуполь: ПГТУ, 2002. - С. 20-29.
- [5] Пипчук, С.И. Некоторые аспекты проблемы качества продукции чёрной металлургии в свете современной экологической ситуации / С.И. Пипчук, С.И. Губенко / *Теория и практика металлургии*. - 1999. - .№2. - С. 52-55.